


Who am I?

Melissa Walter, MPH, RDN, LDN, is a dietitian employed by UNC's Department of Nutrition in the Gillings School of Global Public Health, and, as part of her role in the department, teaches oncology nutrition to residential and online Master of Public Health/Nutrition Students. Melissa also teaches in the community related to aging, brain health (Alzheimer's, Parkinson's, concussion, etc.), and oncology.

Melissa is passionate about how food grows, how it tastes, and how it nourishes us both physically and emotionally. She spends her spare time on local farms and in her garden, nourishes old friendships through intimate and sometimes emotional meals shared, and forges new friendships through nutritious and delicious food adventures. She supports her patients in finding healthy and delicious ways to enjoy their favorite foods and embrace their food traditions.


You can reach Melissa at melissawalter@unc.edu.



1

Conflict of Interest

Melissa Walter, MPH, RDN, LDN, is the owner of (YUM) good living, which provides specialized nutrition consulting. This presentation contains no solicitation.



2


NUTRITION
and the aging brain
IN CANCER CARE



**UNC**
GILLINGS SCHOOL OF
GLOBAL PUBLIC HEALTH
Nutrition

3

Objectives




Our brains change as we age. These alterations become more complicated and often accelerated when combined with cancer, radiation therapy, and/or chemotherapy. At the end of this lecture participants will be able to:

1. Describe brain and neurological changes that occur as a result of chemotherapy and radiation treatments in cancer care.
2. Identify critical elements of a diet that provides support for age-related changes in brain function and cognition.
3. Discuss ways to provide basic nutrition support and to make dietitian referrals to lessen cognitive and neurological impacts of chemotherapy and radiation.

4

What is cognition?




Cognition is the mental process involved in knowing, learning, and understanding things; it is our ability to perceive, process, and assimilate information and convert it to knowledge. Cognition includes:

- Intellectual development
- Learning
- Attention
- Memory
- Language
- Reasoning
- Decision-making
- Evaluation
- Interpretation

<https://www.collinsdictionary.com/us/dictionary/english/cognition>; <https://www.cognifit.com/cognition/>; Image by [Gerd Altmann from Pixabay](#)

5

Risk factors for cognitive decline




CANCER	AGING/AGE RELATED DISEASE
Direct treatment toxicity	Hormonal changes: estrogen and testosterone
Hormonal changes: estrogen and testosterone	Oxidative stress
Oxidative stress	Inflammation (and pro-inflammatory cytokines)
Inflammation (and pro-inflammatory cytokines)	Shortened telomeres
Shortened telomeres	Genes
Genes	- APOE4 alleles: ↓ cognition
- APOE4 alleles: ↓ cognition	- COMT Val158, BDNF
- COMT Val158, BDNF	- genes related to neuroplasticity, DNA damage/repair
- genes related to neuroplasticity, DNA damage/repair	Sleep disorders
Sleep disorders	Fatigue
Fatigue	Depression, anxiety, stress
Depression, anxiety, stress	Pain
Pain	Gut dysbiosis/altered gut integrity
Gut dysbiosis/altered gut integrity	Low cognitive reserve
Low cognitive reserve	NUTRITIONAL DEFICIENCIES
NUTRITIONAL DEFICIENCIES	

AJHS 2012, AJHS 2018, Mendelblatt 2018.

6

Brain reserve or cognitive reserve?



Brain reserve: a quantitative concept related to brain size and architecture: the amount of grey or white matter, the number of neurons and synapses, etc. (*passive reserve*)

Cognitive reserve: a qualitative concept related to the brain's pre-existing cognition (cognitive stores related to language, memory, processing, reasoning, experience, etc.) and ability to enlist compensatory approaches during times of cognitive challenge. (*active reserve*)



Cognitive reserve offers cognitive resilience in the face of decreased brain reserve. It is increased by:

- Life experiences
- Mentally enriching activities
- Level/amount of education
- Occupational attainment
- Socioeconomic status
- Physical exercise

Stern 2013. Image by [Geert Albrechts from Pixabay](#)

7


Cognitive reserve and cognitive decline

Ahnes TA, Reef JC, 2018. Annu. Rev. Clin. Psychol. 14:425-51

8

Predictors of cognitive decline in cancer survivors




Conceptual model: predictors of cognitive change in cancer survivors

```

    graph TD
      TM[Treatment modality  
- Surgery type  
- Chemotherapy  
- Endocrine therapy  
- Radiation therapy] --> CF[Cognitive function]
      T[Tumor  
- Tumor stage  
- Tumor type  
- Tumor markers] --> CF
      S[Sociodemographic  
- Age  
- Cognitive reserve  
- Socioeconomic status  
- Education  
- Mental status/comorbidities] --> CF
      G[Genetic  
- APOE  
- COMT  
- BDNF] --> CF
      P1[Physiological  
- Cardiovascular  
- Fatigue  
- Insulin  
- Inflammation] --> CF
      P2[Psychological  
- Stress/anxiety  
- Anxiety  
- Depression] --> CF
      AL[Allostatic load  
- Cardiovascular  
- Glucose metabolism  
- Lipid metabolism  
- Inflammation  
- HPA axis] --> CF
      L[Lifestyle  
- Smoking  
- Exercise  
- Diet  
- Sleep quality] --> CF
  
```

Ahnes TA, Reef JC, 2018. Annu. Rev. Clin. Psychol. 14:425-51

9



10

Nutrition therapy for cognitive decline

CANCER	AGING/AGE RELATED DISEASE
NUTRITION to reduce oxidative stress	NUTRITION to reduce oxidative stress
NUTRITION to lessen inflammation	NUTRITION to lessen inflammation
NUTRITION to lengthen telomeres	NUTRITION to lengthen telomeres
NUTRITION to minimize epigenetic changes re:	NUTRITION to minimize epigenetic changes re:
- APOE4 alleles; cognition	- APOE4 alleles; cognition
- COMT Val158, BDNF	- COMT Val158, BDNF
- genes related to neuroplasticity, DNA damage/repair	- genes related to neuroplasticity, DNA damage/repair
NUTRITION and treatments to improve sleep length/quality	NUTRITION and treatments to improve sleep length/quality
NUTRITION and treatments to improve fatigue	NUTRITION and treatments to improve fatigue
NUTRITION and treatments to alleviate depression, anxiety, stress	NUTRITION and treatments to alleviate depression, anxiety, stress
NUTRITION for gut dysbiosis	NUTRITION for gut dysbiosis
IMPROVED NUTRITION	IMPROVED NUTRITION

Ahles 2012; Ahles 2018; Mandelblatt 2018. Image by [Unlabeled from Shutterstock](#).

11

Nutrition and oxidative stress


Oxidative stress:
can activate transcription factors and result in the expression of over 500 different genes, including those for growth factors, inflammatory cytokines, chemokines, cell cycle regulatory molecules, etc. activates inflammatory pathways leading to transformation of a normal cell to tumor cell, tumor cell survival, proliferation, chemoresistance, radioresistance, invasion, angiogenesis and stem cell survival implicated in many diseases of aging, including dementias

Antioxidant diets include:
diets high in fruits and vegetables
- vitamins C and E, selenium, carotenoids (beta-carotene, lycopene, lutein, and zeaxanthin), etc.

While there is some debate about the use of antioxidant foods or supplements counteracting cancer treatments that work by creating ROS, a 2007 literature review indicates that these foods/supplements enhance the effectiveness of treatments, decrease their side effects, protect normal tissue, and may increase survival.

Rutur 2010; Simone 2007; [NIA Antioxidants](#). Image by [GSD from Deviant](#).

12



13

Nutrition and inflammation

Inflammation, part of the immune system's response to defend body against infection—but affects the brain and cognition, too.

Nutrition can have a direct impact upon inflammatory processes in both aging and cancer.

Anti-inflammatory diets include:

- 4-5 daily servings fruits & vegetables for vitamins, minerals, fiber, polyphenols, other **antioxidants** → lower levels of inflammatory markers
- Whole grain foods → lower levels of inflammatory markers
- Decreased caloric intake (independent of weight loss) → lower levels of inflammatory markers
- Weight loss → lower levels of inflammatory markers

Franz 2014, Wernberg 2009, Zhong 2017

14

Nutrition and telomere length

Telomere, protective cap on the end of chromosomes; protects the end of the chromosome from deteriorating or fusing with other chromosomes.

Telomere length:

- Decreased in aging
- Decreased with cancer and treatment
- Increased with dietary changes:
 - Mediterranean Diet
 - DASH Diet
 - USDA Healthy Eating Index
 - USDA Alternate Healthy Eating Index

Crous-Bou 2014; Leung 2018. Image Fancy Caprio/Shutterstock.

15

Nutrition, nutrigenomics, aging and cancer


Nutrigenomics: the role of nutrients and bioactive food compounds in gene expression (epigenetics and nutrition)

Major plant	Bioactive component
Tomatoes	Lycopene
Turmeric	Curcumin
Cinnamon	Cinnamic acid
Cashew nuts	Anacardic acid
Apples	Phlorizin
Soybean	Genistein
Tea	Epigallocatechin gallate (EGCG)
Ginseng	Resveratrol
Citrus	Hesperidin
Coffee	Caffeic acid
Broccoli	Isothiocyanates
Garlic	Allyl mercaptan

Ferch 2011; Neattro 2012

16

Nutrition and sleep



Glymphatic system: removal of "wastes" from the brain; named for glial cells in the brain that control this system in way similar to the lymphatic system

"Cleans" the brain each night
 If impaired (age, brain injury, etc.) may allow amyloid-beta and tau proteins to accumulate (hallmark of Alzheimer's disease and others)

Sleep disorders are tied to age, Alzheimer's and other neurodegenerative diseases, brain injuries, and psychiatric disorders: which comes first?!

How can nutrition help?

Lose weight if needed. Overweight—even 5-10 lbs—can lead to sleep apnea by compromising respiratory function. Apnea and fatigue can lower motivation to eat right and exercise—and can decrease cognition!

Avoid spicy foods, chocolate, fatty foods, etc. at dinner (or later) if you have reflux/heartburn.


Eat larger meals earlier in the day and lighter meals for dinner; avoid evening snacks.

Avoid low fiber and high fat/high sugar diets; these are associated with lighter, less restorative sleep with more arousals.

Xie 2013 [https://doi.org/10.1016/j.jn.2013.08.014](#)

17

Nutrition and mental health



Numerous studies have found correlations between nutrient-deficient diets and poor mental health...

Low-carb diets can increase depression

...and have found correlations between improved diet and improved mental health:

Link between high fish consumption and low incidence of mental illness

Supplements and foods containing amino acids (used to make neurotransmitters) reduce symptoms; amino acids found in protein-rich foods

Folate, B12, iron, iodine, chromium, lithium, selenium, zinc (many antioxidants and micronutrients found in fruits and vegetables) can also reduce symptoms

Sathyasriyana Rao 2008; [https://doi.org/10.1016/j.jn.2008.08.014](#)

18


Nutrition and mental health




Katz 2015.

19

Nutrition and gut health



Both aging and chemotherapy alter and often destroy the microbiota (bacteria) in our guts. What do we really lose?

- Nutrient extraction (from food) and conversion to useful forms
 - Digestion of insoluble fiber → SCFA → energy
 - Butyrate (a SCFA) decreases depression, anxiety; activates vagus nerve
- Vitamin production (K, B12)
- Regulation of inflammation
- Drug detoxification (including chemotherapy detoxification!)
- 70% of our immunity
 - Defense against infections
- Regulation of angiogenesis (blood vessel formation)
- Behavioral support/NT support
 - Neurotransmitters secreted by gut (like brain!) decrease symptoms of depression, anxiety, even autism. They don't cross the blood brain barrier, though...they send signals via the vagus nerve.

Hsiao 2013; Loman 2019

20

Nutrition and gut health

"The Hadza people of Tanzania have a gut microbiome diversity that is one of the richest on the planet and about 40% higher than the average American and about 90% higher than the average Brit. The average Hadza person eats around 600 species of plants and animals in a year and has huge seasonal variation. They have virtually none of the common Western diseases such as obesity, allergies, heart disease and cancer. In contrast, most Westerners have fewer than 50 species in their diet and are facing an epidemic of illness and obesity."

How do we feed and support our bacteria?

- Eat more plants/fiber
- Eat pre- and probiotics (possibly consider supplementing)
 - Pre: non-digestible plants - fibrous veggies, garlic, onions, oats, beans
 - Pro: fermented foods - sauerkraut, kimchi, kombucha, pickled veggies, yogurt, kefir
- Avoid antibiotics and NSAIDs when possible
- Avoid artificial sweeteners
- Limit use of hand sanitizers and antimicrobial soaps
- Get more fresh air
- Get a dog!
- Get dirty!

Spector 2019.

21

Nutrition for cancer prevention

The best diet is high in fiber and rich in a variety of vegetables, fruits, whole grains, and legumes (beans)

provides vitamins, minerals, and protective and naturally-occurring plant substances known as phytochemicals (phyto = plant) and can help to defend the body against cancer and other diseases.

There are no real "super-foods!"

We need a combination of MANY fruits, vegetables, whole grains to provide necessary nutrients for antioxidant and nutrigenetic support

Greater effectiveness from foods than supplements

Supplementation of some compounds appear to be cancer causing (e.g. folic acid) while food sources are cancer fighting (folate)

The New American Plate diagram shows a plate divided into sections. The top half is labeled '1/2 (or more) vegetables, fruits, whole grains, and nut/beans'. The bottom right section is labeled '1/4 (or less) animal protein'. The plate contains illustrations of broccoli, carrots, a whole grain, and a piece of fish.

American Institute for Cancer Research
aicr.org

22

The MIND Diet

MIND Diet: Mediterranean-DASH Intervention for Neurodegenerative Delay

Anti-inflammatory diet
Flexible diet - no calorie limits, no elimination of food groups
Combines plant fibers and antioxidants, omega-3s, lean protein
Includes all important macro- and micronutrients
Reduces added sugars, saturated and trans fats
Shown to reduce Alzheimer's risk by 35-53% with MODERATE adherence

The MIND Diet: what to do? (tip, eat more plants!)

Daily: 3 servings whole grains, 1 serving leafy greens plus at least one more vegetable, glass of wine (any kind), cook with olive oil
Most days: snack on nuts
Every other day: 1/2 cup beans
AT LEAST twice/week: poultry, 1/2 cup berries
AT LEAST once/week: fish (cold water/omega 3)

Exercise

LIMIT red meat (< 4 servings per week), butter/margarine (< 1 tablespoon per day), cheese (< 1 serving per week), sweets (<5 servings per week), fried and fast foods (< 1 serving per week)

Morris 2015

23

The MIND Diet

Daily: 3 servings whole grains, 1 serving leafy greens plus at least one more vegetable, glass of wine (any kind), cook with olive oil
Most days: snack on nuts
Every other day: 1/2 cup beans
AT LEAST twice/week: poultry, 1/2 cup berries
AT LEAST once/week: fish (cold water/omega 3)

The New American Plate diagram shows a plate divided into sections. The top half is labeled '1/2 (or more) vegetables, fruits, whole grains, and nut/beans'. The bottom right section is labeled '1/4 (or less) animal protein'. The plate contains illustrations of broccoli, carrots, a whole grain, and a piece of fish.

American Institute for Cancer Research
aicr.org

24

NUTRITION RISKS WITH CANCER TREATMENT



- Psychological distress
- Pain
- Fatigue
- Anorexia
- Alimentary tract disturbances: changes in taste and smell (dysgeusia), dry mouth (xerostomia), thick saliva, swallowing challenges (dysphagia), stomatitis/mucositis, reflux, indigestion, flatulence/bloating, N&V, diarrhea, constipation, lactose intolerance
- Malnutrition
 - Dehydration
 - Protein deficiencies
 - Vitamin and mineral deficiencies
- Weight loss OR weight gain
- Sarcopenia
- Cachexia

Weight loss → greater tx side effects → missed treatments → poorer response and prognosis

25

<p>Is it aging?</p> <p>Is it cancer <i>and</i> treatment?</p>	<ul style="list-style-type: none"> Visual changes Fewer taste buds Fewer olfactory buds Less saliva production Tooth decay Decreased tactile sense (self-feeding) Decline in muscle/motor function to chew Weakness Lesser appetite (less active, medication side effect, etc.) Altered absorption and metabolism of food Depression, loneliness, irritability, loss of memory, confusion, brain fog
---	---

26

<p>...or' is it malnutrition?</p>	<p>Malnutrition:</p> <p>Insufficient calories = depression, irritability, apathy, aggression, nervousness, restlessness, hypochondriasis, hysteria</p> <p>Dehydration = poor memory, confusion, fatigue, low or high blood pressure, joint pain</p> <p>↓ Carbohydrate = headache, confusion, brain fog, irritability</p> <p>↓ Protein = confusion, moodiness, sleep disturbances, poor wound healing, muscle loss</p> <p>↓ Fat = depression, brain fog, irritability, overwhelm, vitamin deficiencies</p> <p>↓ Vit A = night blindness, decreased sense of taste, impaired wound healing, dry eyes/skin</p> <p>↓ Vit B1 = loss of motor coordination, pain, headaches, weakness, loss of appetite</p> <p>↓ Vit B2 = visual changes, burning eyes, peripheral nerve damage, weakness, skin cracking</p> <p>↓ Vit B3 = disorientation, confusion, apathy, depression, memory deficit, paranoia</p> <p>↓ Vit B6 = depression, confusion, mania, mood changes, fatigue, weakened immunity</p> <p>↓ Vit B9 = peripheral nerve problems, memory disorder, weakness, palpitations, SOB</p> <p>↓ Vit B12 = depression, confusion, poor concentration, severe dementia, weakness, white matter (brain) degeneration, GI issues, neuropathy, vision loss</p> <p>↓ Vit C = joint pain and swelling, impaired wound healing, easy bruising, dry/rough skin</p> <p>↓ Vit D = depression, fatigue, bone pain/loss, muscle pain, hair loss, frequent infection</p> <p>↓ Vit E = disorientation, vision problems, muscle weakness, walking and balance problems</p> <p>↓ Zinc = taste/smell loss, loss of appetite, apathy, depression, hair loss, weakened immunity</p>
-----------------------------------	---

27

Malnutrition and obesity?
Absolutely.

28

Common nutrient deficiencies in aging

Nutrient	Foods
Protein	Lean (low-fat) proteins include poultry (white meat), fish, eggs, beans, nuts, oats, quinoa, cottage cheese, greek yogurt. Some in broccoli, brussels sprouts.
Omega-3 FA	Fish, nuts and seeds, plant oils, fortified foods
Fiber	Fruits, vegetables, beans, whole grains. <i>Not a nutrient, but important for reduction of multiple health risks; also important to "feed" beneficial bacteria.</i>
Calcium	Dark, leafy greens (collards/spinach/kale); dairy: sardines; canned salmon; white beans; almonds; poppy/seamechia seeds. <i>Estrogen does not support supplementation; may increase risk of kidney and cardiovascular disease, colon polyps, aggressive prostate cancer.</i>
Vitamin D	Fatty fish (tuna, salmon, mackerel); cheese; egg yolk; Vit D fortified foods: OJ, milk. <i>A few minutes of sunlight each day can aid in Vit D production in the body; harder for those with darker skin.</i>
Magnesium	Dark, leafy greens; broccoli; nuts and seeds; beans; whole grains; low-fat dairy; avocado, dk chocolate
Vitamin C	Brightly colored F&V: citrus fruits, strawberries, cantaloupe, sweet potatoes, tomatoes, bell peppers, etc.; broccoli, cauliflower, kale
Vitamin E	Trout, shrimp, broccoli, spinach, squash, kiwifruit, nuts and seeds; vegetable oils. <i>Supplementation is NOT recommended.</i>
Vitamin B6	Poultry, pork, fish, eggs, organ meats, starchy vegetables, spinach
Vitamin B12	Clams, beef liver, all meat, trout, tuna, salmon, fortified foods: whole grains, nutritional yeast, etc.
Selenium	Brazil nuts (1 per day for men to reduce prostate cancer risk!), tuna, oysters, pork, beef, chicken, tofu, whole wheat pasta, shrimp, mushrooms

29


Hydration and cognition

Lose ability to sense thirst with age; often drink less with chemotherapy and side effects
Dehydration: leading cause for admission to ERs and hospitals for older adults
Less water → "shrinking" brain and cells

- Reduces cognition: short-term memory, numerical ability, psychomotor function, sustained attention
- Increases confusion, disorientation, fatigue
- Impacts mood negatively
- Leads to headache

30

Collaboration is critical



Nutrition-related side effects of cancer and cancer treatment can be challenging to manage—as can nutrition-related “side effects” of aging! Nurses and physicians are nutrition’s front line. Interprofessional collaboration is essential.

Early and regular nutrition assessment and intervention and a multidisciplinary approach to nutrition care result in improved treatment tolerance for patients.


During the acute phase of curative oncology treatment, adequate nutrition support has been shown to improve short-term outcomes by reducing the number of complications and thus shortening the recovery phase.

Maintaining appropriate supportive nutrition can reduce the risk for cognitive decline and can sometimes reverse decline—whether from cancer and treatment, from aging, or both.

Image by Corina Kuchta by Dreamstime

31

When to refer to a dietitian



Registered Dietitians can help patients and practitioners manage nutrition-related side effects of treatments, including cognitive changes:


- Make recommendations on foods and eating strategies to complement medication management of side effects
- Offer strategies for preparing healthy foods in palatable ways to accommodate nutrition symptoms
- Aid in management of multiple, chronic side effects that affect eating and digestion
- Provide support—psychological and nutritional!—when oral intake is poor or anticipated to be poor (with or without weight loss)
- Monitor significant weight and/or muscle loss
- Aid in prevention, identification, and treatment of malnutrition
- Manage tube feedings and formulas
- Provide weight management and dietary guidance in survivorship
- Answer in-depth nutrition questions of patients and caregivers

To talk with an oncology dietitian at UNC, visit <https://unclineberger.org/nutrition/>

Image by Dreamstime

32


Resources:



1. Ahles TA, Root JC, Ryan EL. Cancer- and cancer treatment-associated cognitive change: an update on the state of the science. *J Clin Oncol*. 2012;30(30):3675–3696. <https://doi.org/10.1200/JCO.2012.43.0116>
2. Ahles TA, Root JC. Cognitive effects of cancer and cancer treatments. *Annu Rev Clin Psychol*. 2018;14:425–451. <https://doi.org/10.1146/annurev-clinpsy-060917-084903>
3. Antioxidants. In *Depth*. National Center for Complementary and Integrative Health. <https://nccih.nih.gov/health/antioxidants/introduction.htm>. Published May 4, 2016. Accessed November 27, 2019.
4. Brain food: Global Council on Brain Health recommendations on nourishing your brain health. https://www.aarp.org/content/dam/aarp/health/brain_health/2018/01/ocbh-nourishing-your-brain-health-report-enGLISH-REPORT-10-29-18-1945257Ena-0018-01.pdf. Accessed October 29, 2019.
5. Crous-Bou M, Hong H, Proczko J, et al. Mediterranean diet and telomere length in Nurses' Health Study: population based cohort study. *BMJ*. 2014;349:g6674. <https://healthcare.wiley.com/doi/10.1111/obd.12772>
6. Food sources of dietary fiber. <https://healthcare.wiley.com/doi/10.1111/obd.12772>. Accessed October 29, 2019.
7. Fenech M, El-Soehy A, Cahill L. Nutrigenetics and nutrigenomics: viewpoints on the current status and applications in nutrition research and practice. *J Nutrigenet Nutrigenom*. 2011;4:69–89. <https://doi.org/10.1155/2011/2772>
8. Franz M. Nutrition, inflammation, and disease. *Today's Dietitian*. 2014;16(2):44. <http://www.todaysdietitian.com/newarchives/020314p44.shtml>. Accessed October 29, 2019.
9. Hsiao EY, McBride SW, Hsien S, et al. The microbiota modulates gut physiology and behavioral abnormalities associated with autism. *Cell*. 2013;155(7):1451–1463. <http://doi.org/10.1016/j.cell.2013.11.024>

33


Resources:



10. Katz R, Edelson M. The healthy mind cookbook: Big-flavor recipes to enhance brain function, mood, memory, and mental clarity. Berkeley, CA: Ten Speed Press; 2015.
11. Leung CW, Fung TT, McEvoy CT, Lin J, Epel ES. Diet quality indices and leukocyte telomere length among healthy US adults: data from the National Health and Nutrition Examination Survey, 1999-2002. *Am J Epidemiol*. 2018;187(10):2192-2201. <https://doi.org/10.1093/aje/kwz124>
12. Loman BR, Jordan KR, Haynes B, et al. Chemotherapy-induced neuroinflammation is associated with disrupted colonic and bacterial homeostasis in female mice. *Sci Rep*. 2019;16490. <https://doi.org/10.1038/s41598-019-52893-0>
13. Mandelblatt JS, Small BJ, Luta G, et al. Cancer-related cognitive outcomes among older breast cancer survivors in the Thinking and Living with Cancer Study. *J Clin Oncol*. 2018;36(32):3211-3222. <https://doi.org/10.1200/JCO.2018.00140>
14. Morris MC, Tangney CC, Wang Y, Sacks FM, Bennett DA, Aggarwal NT. MIND diet associated with reduced incidence of Alzheimer's disease. *Alzheimers Dement*. 2015;11(9):1007-1014. <https://doi.org/10.1016/jalz.2014.11.009>
15. Nicastro HL, Trujillo EB, Milner JA. *Curr Nutr Rep*. 2012;1:37. <https://doi.org/10.1007/s13688-011-0007-6>
16. Providing healthy and safe foods as we age: workshop summary. <https://www.ncbi.nlm.nih.gov/books/NBK51837/>. Accessed October 17, 2019.
17. Reuter S, Gupta SC, Chaturvedi MM, Aggarwal BB. Oxidative stress, inflammation, and cancer: how are they linked?. *Free Radic Biol Med*. 2010;49(11):1603-1616. <https://doi.org/10.1016/j.freeradbiomed.2010.09.006>
18. Sathyanarayana Rao ISS, Asha MR, Ramesh BN, Rao KSI. Understanding nutrition, depression and mental illnesses. *Ind Jml Psychiatry*. 2008;50(2):77-82. <https://doi.org/10.4103/0019-5545.47391>
19. Simone GJ 2nd, Simone N, Simone V, Simone CB. Antioxidants and other nutrients do not interfere with chemotherapy or radiation therapy and can increase kill and increase survival, part 1. *Altern Ther Health Med*. 2007 Jan-Feb;13(1):22-8.

34

Resources:



20. Spector T. 15 tips to boost your gut microbiome. <https://www.sciencefocus.com/the-human-body/how-to-boost-your-microbiome/>. Accessed June 1, 2019.
21. Stern Y. Cognitive reserve in aging and Alzheimer's disease. *Lancet Neurol*. 2012;11(11):1006-1012. [https://doi.org/10.1016/S1473-4472\(12\)70191-6](https://doi.org/10.1016/S1473-4472(12)70191-6)
22. Wamberg J, Gomez-Martinez S, Romeo J, Diaz L, Marcos A. Nutrition, inflammation, and cognitive function. *Ann New York Acad Sci*. 2009;1153: 164-175. <https://doi.org/10.1111/j.1749-6632.2008.03988.x>
23. Xie L, Kang H, Xu Q. *Science*. 2013;342(6156):373-377. <https://doi.org/10.1126/science.1241724>
24. Zhvogal L, Pietrosica F, Kroemer G. Nutrition, inflammation and cancer. *Nat Immunol*. 2017;18:843-850. <https://doi.org/10.1038/nri.3754>

35
